

Normal
0

21

false
false
false

FR-CH
X-NONE
X-NONE


```
/* Style Definitions */
table.MsoNormalTable
{mso-style-name:"Tableau Normal";
mso-tstyle-rowband-size:0;
mso-tstyle-colband-size:0;
mso-style-noshow:yes;
mso-style-priority:99;
mso-style-parent:"";
mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri", "sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;
mso-ansi-language:FR-CH;
mso-fareast-language:FR-CH;}
```

Intervalle de dates qui se chevauchent :

```
row6.DTDEMTDEBUT.compareTo(row7.DTDEMTFIN) >= 0 &&
row6.DTDEMTFIN.compareTo(row7.DTDEMTDEBUT) <= 0
```


Normal
0

21

false
false
false

FR-CH
X-NONE
X-NONE


```
/* Style Definitions */  
table.MsoNormalTable  
{mso-style-name:"Tableau Normal";  
mso-tstyle-rowband-size:0;  
mso-tstyle-colband-size:0;  
mso-style-noshow:yes;  
mso-style-priority:99;  
mso-style-parent:"";
```

Talend: Intervalles de dates qui se chevauchent

mso-padding-alt:0cm 5.4pt 0cm 5.4pt;
mso-para-margin-top:0cm;
mso-para-margin-right:0cm;
mso-para-margin-bottom:10.0pt;
mso-para-margin-left:0cm;
line-height:115%;
mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri", "sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-bidi-font-family:"Times New Roman";
mso-bidi-theme-font:minor-bidi;
mso-ansi-language:FR-CH;
mso-fareast-language:FR-CH;}

Référence ID de l'article: #1102

Auteur: Michel Preti

Dernière mise à jour: 2013-05-23 13:44